

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	19	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 and number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:28
L3	5	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) SAME select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 and number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:25
L4	18	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) AND select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 SAME number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:25
L5	5	((image\$6 same data and correct\$6 SAME TABLE\$1) SAME select\$6 SAME (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 SAME number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:27
L6	1	((image\$6 same data and correct\$6 SAME TABLE\$1) SAME select\$6 SAME (correspond\$6 or accord\$6 or base\$6) SAME (subfield\$6 SAME number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:27
L7	18	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 SAME number\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:28
L8	1	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 SAME number\$6 same variabl\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:29

EAST Search History

L9	7	((image\$6 same data and correct\$6 SAME TABLE\$1 SAME MEMORY) and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (subfield\$6 SAME number\$6 same vari\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:31
L10	0	(image\$6 same data and correct\$6 and TABLE\$1 SAME MEMORY same select\$6 same (correspond\$6 or accord\$6 or base\$6) same (subfield\$6 SAME number\$6 same vari\$6)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/16 13:31

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1112	(image\$6 same data and correct\$6 and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (Automatic and power\$6 same control\$6) and subfield\$6 and number\$6) and (memory and table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 12:14
		"6502945".pn. and and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:50
		image same data same correct\$6 and plasma same display\$6 same panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:08
S2	158	image same data same correct\$6 and plasma same display\$6 same panel and (address\$6 and sustain\$6 and discharge\$6) same electrode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 18:49
S3	158	image same data same correct\$6 and plasma same display\$6 same panel and (address\$6 and sustain\$6 and discharge\$6) same electrode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 18:54
S4	5	image same data same correct\$6 and plasma same display\$6 same panel and (address\$6 and sustain\$6 and discharge\$6) same electrode\$1 and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:46
S5	7	image same data same correct\$6 and plasma same display\$6 same panel and (address\$6 and sustain\$6 and discharge\$6) same electrode\$1 and (calculat\$6 same load\$6 and factor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 19:01
S6	15	image same data same correct\$6 and plasma same display\$6 same panel and (address\$6 and sustain\$6 and discharge\$6) same electrode\$1 and (calculat\$6 and load\$6 and factor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 19:01
S7	2	"20020190925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:46

EAST Search History

S8	1	"20020190925" and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:50
S9	0	"20020190925" and select\$6 same correct\$6 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:51
S10	0	"20020190925" and select\$6 and correct\$6 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:51
S11	1	"20020190925" and select\$6 and correct\$6 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:52
S12	1	"20020190925" and select\$6 and correct\$6 and table and calculat\$6 same load\$6 same factor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 21:52
S13	1	"20020190925" and select\$6 and correct\$6 and table and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:07
S14	184	image\$6 same data same correct\$6 and (select\$6 and memory same table\$1) and plasma same display\$6 same panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:09
S15	4	(Automatic same power\$6 same control\$6 and subfield\$6 same number\$6 and select\$6 and image\$6 same data same correct\$6 and (memory same table\$1)) and plasma same display\$6 same panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:14
S16	4	(Automatic same power\$6 same control\$6 and subfield\$6 same number\$6 and select\$6 and image\$6 same data same correct\$6 and (memory same table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:15

EAST Search History

S17	6	(Automatic same power\$6 same control\$6 and subfield\$6 same number\$6 and select\$6 and image\$6 same data and correct\$6 and (memory same table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:16
S18	14	(Automatic same power\$6 same control\$6 and subfield\$6 same number\$6 and select\$6 and image\$6 same data and correct\$6 and (memory and table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 22:53
S19	30	((Automatic and power\$6 same control\$6) and subfield\$6 same number\$6 and select\$6 and image\$6 same data and correct\$6 and (memory and table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 12:11
S20	2	"6305817".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 09:03
S21	2	"6016175".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:44
S22	0	"6016175".pn. and shield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:44
S23	0	"6016175".pn. and lamp\$6 same case	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:45
S24	0	"6016175".pn. and lamp\$6 same house	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:45
S25	0	"6064455".pn. and lamp\$6 same house	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:46

EAST Search History

S26	0	"6064455".pn. and lamp\$6 same (case or box or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:47
S27	0	"6064455".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:47
S28	3	"6502945".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:49
S29	0	"6502945".pn. and lamp\$6 adj case\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:50
S30	1	"6502945".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:59
S31	602698	"6502945".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray) nad shield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 10:59
S32	0	"6502945".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray) and shield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:00
S33	1	"6502945".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:04
S34	0	"200060261723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:05
S35	2	"20060261723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:05

EAST Search History

S36	2	"5896119".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:16
S37	1	"5896119".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:25
S38	1	"5896119".pn. and lamp\$6 same (house\$6 or case\$6 or box\$6 or cover\$5 adj tray) and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:27
S39	0	"5896119".pn. and diffuser same shield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:27
S40	1	"5896119".pn. and diffuser and shield\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:29
S41	1	"5896119".pn. and reflective same tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:30
S42	33	((image\$6 same data and correct\$6 and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (Automatic and power\$6 same control\$6) and subfield\$6 and number\$6) and (memory and table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 12:14
S43	16	((image\$6 same data and correct\$6 and select\$6 and (correspond\$6 or accord\$6 or base\$6) and (Automatic same power\$6 same control\$6) and subfield\$6 and number\$6) and (memory and table\$1)) and (plasma same display\$6 same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:24
S44	0	(plasma same display\$6 same panel or PDP) and selecting same correction same table and corresponding and number same subfields and automatic same power same control and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:26

EAST Search History

S45	49	(plasma same display\$6 same panel or PDP) and selecting same correction same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:26
S46	0	(plasma same display\$6 same panel or PDP) and selecting same correction same table and corresponding and number same subfields	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 13:26
S47	5	(plasma same display\$6 same panel or PDP) and selecting same correction same table and (correspond\$6 or accord\$6 or base\$6) and number same subfield\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:50
S48	2	(plasma same display\$6 same panel or PDP) and selecting adj correction adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:52
S49	4	(plasma same display\$6 same panel or PDP) and select\$6 adj correct\$6 adj table\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 14:52
S50	10	Soo-Jin same lee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:46
S51	5	Soo-Jin same lee and (PDP or plasma same display same panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:47
S52	10	Soo-Jin same lee and (PDP or plasma same display same panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:47
S53	4	Soo-Jin same lee and (PDP or plasma same display same panel) and automatic same power\$6 same control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:49
S54	1	Soo-Jin same lee and (PDP or plasma same display same panel) and automatic same power\$6 same control\$6 and number same subfield\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:48

EAST Search History

S55	1	Soo-Jin same lee and (PDP or plasma same display same panel) and automatic same power\$6 same control\$6 and selecting adj correction adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:50
S56	1	"345"/\$.ccls. and automatic same power\$6 same control\$6 and selecting adj correction adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 15:51